

## ATTACHMENT A

UNOFFICIAL CLAIM AMENDMENTS FOR EXAMINER'S CONSIDERATION  
APPLICATION No. 10/782,858  
Attorney Docket No. Q77192

Examiner Habte Mered

## APPENDIX

## LISTING OF CLAIMS:

1. (currently amended): A method of allocating an Internet Protocol (IP) address and detecting duplication of the IP address in a network environment, comprising the steps of:
  - allocating an initial IP address to a terminal, by the terminal;
  - sending and receiving broadcast messages;
  - detecting duplication of the IP address while sending and receiving the broadcast messages;
  - updating a Duplicate Address Detection (DAD) table through searches of ~~at least one of a~~ DAD table and a history table; and
  - determining whether a collision of the IP address occurs using a DAD timer handler,
  - wherein the broadcast messages are one-hop broadcast messages, and each entry of the Duplicate Address Detection (DAD) table is periodically updated by the one-hop broadcast messages,
  - wherein each entry of the DAD table includes an IP address of at least one of a plurality of terminals in a network, a sequence number of the at least one of the plurality of terminals, a temporary ID of the at least one of the plurality of terminals and a flag, and
  - wherein the history table stores a latest sequence number and temporary ID generated by a present terminal.
2. (original): The method according to claim 1, wherein the network environment is an ad-hoc network environment.

UNOFFICIAL CLAIM AMENDMENTS FOR EXAMINER'S CONSIDERATION  
APPLICATION No. 10/782,858  
Attorney Docket No. Q77192

Examiner Habte Mered

3. (original): The method according to claim 1, wherein said terminal allocates said initial IP address to itself.

4. (canceled).

5. (currently amended): A method of allocating an Internet Protocol (IP) address and detecting duplication of the IP address in a network environment, comprising the steps:

(a) initially allocating a tentative IP address to a terminal, by the terminal;

(b) determining whether the tentative IP address can be used by the terminal;

(c) comparing the tentative IP address with at least one other IP address;

(d) if the tentative IP address has a duplicate, selecting an advisory IP address that does not exist;

(e) sending the advisory IP address to the terminal;

(f) performing step (b) using the advisory IP address as the tentative IP address,

wherein the at least one other IP address is located in a Duplicate Address Detection (DAD) table, and

wherein each entry of the Duplicate Address Detection (DAD) table is periodically updated by a one-hop broadcast message,

wherein said each entry of the DAD table includes an IP address of at least one of a plurality of terminals in a network, a sequence number of the at least one of the plurality of terminals, a temporary ID of the at least one of the plurality of terminals and a flag, and

wherein a history table stores a latest sequence number and temporary ID generated by

UNOFFICIAL CLAIM AMENDMENTS FOR EXAMINER'S CONSIDERATION  
APPLICATION No. 10/782,858  
Attorney Docket No. Q77192

Examiner Habte Mered

a present terminal.

6. (original): The method according to claim 5, wherein said terminal allocates the tentative IP address to itself.

7. (original): The method according to claim 5, wherein the network environment is an ad-hoc environment.

8. (original): The method according to claim 5, wherein the network environment has no central server.

9. (canceled).

10. (previously presented): The method according to claim 5, wherein the advisory IP address does not exist in said DAD table.

11. (previously presented): The method according to claim 5, wherein a neighboring mobile terminal selects the advisory IP address.